

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	483	(717/128).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/22 15:38
S2	0	(fir\$3 enabl\$3 probe) same (trac\$3 instrument\$5 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/08/22 15:35
S3	1	(fir\$3 enabl\$3 probe) AND (trac\$3 instrument\$5 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/08/22 15:35
S4	9	(enabl\$3 probe) AND (trac\$3 instrument\$5 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/08/22 15:36
S5	17	(trace adj point) with probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/22 15:40
S6	28	(trace adj point) probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2007/08/22 15:40
S7	9	(trace adj point) instrument\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/08/22 15:41
S8	16	("5528753"   "5732273"   "5872909"   "5996092"   "6023561"   "6026236"   "6047390"   "6164841"   "6173395"   "6216143"   "6263488"   "6351845"   "6507805").PN. OR ("7047521").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/22 15:42
S9	14	("4462077"   "5047919"   "5103394"   "5127103"   "5265254"   "5297274"   "5303369").PN. OR ("5737521").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/23 07:34
S10	6	((("6889218") or ("6434529") or ("6016467"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/23 07:34

## EAST Search History

S11	31064	trac\$3 near2 (produc\$3 or consumer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/23 13:02
S12	9463	trac\$3 adj (produc\$3 or consumer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/23 13:02
S13	1	tracing adj consumer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/23 13:04
S14	1	tracing adj consumer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/23 13:06
S15	6049	enab\$3 near2 probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/23 13:15
S16	31	(enab\$3 near2 probe) with regist\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/27 10:31
S17	474	action with probe with fir\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/23 13:13
S18	107	S17 and trac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/23 13:13
S19	199	select\$3 enab\$3 near2 probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/08/23 14:05
S20	3	tuple trac\$3 instrument\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2007/08/23 14:06

## EAST Search History

S21	88	("5355487").URPN.	USPAT	OR	OFF	2007/08/23 14:26
S22	7	((("6353924") or ("6728955") or ("7194731"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/23 14:41
S23	9	((("7047521") or ("6813731") or ("6467083") or ("6836861"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/27 16:20
S24	69	REQUEST\$3 ENABL\$5 (PROB\$3 OR HOOK\$3) INSTRUMENT\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2007/08/23 14:45
S25	5	(FIRE OR FIRING OR FIRED) SAME (PROBE OR HOOK OR "WATCH POINT" OR "BREAK POINT") SAME EXECUT\$3 INSTRUMENT\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2007/08/23 14:46
S26	40925	((enabl\$3 or disabl\$3) near2 probe or hook ) AND instrument\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/27 10:32
S27	2653	((enabl\$3 or disabl\$3) near2 (probe or hook) ) AND instrument\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/27 10:32
S28	919152	((enabl\$3 or disabl\$3) near2 (probe or hook) ) smae instrument\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/27 10:33
S29	390	((enabl\$3 or disabl\$3) near2 (probe or hook) ) same instrument\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/27 10:34
S30	435	((enabl\$3 or disabl\$3) near2 (probe or hook) ) same trac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/27 10:34

## EAST Search History

S31	11137	((trac\$3 or profil\$3 or monitor\$3) near2 software) AND (prob\$3 or hook\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/27 10:35
S32	1277	((trac\$3 or profil\$3 or monitor\$3) near2 software) same (prob\$3 or hook\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/27 10:36
S33	470	((trac\$3 or profil\$3 or monitor\$3) near2 software) with (prob\$3 or hook\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/27 10:36
S34	306	trac\$3 instrument\$5 program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/08/27 13:29
S35	2	("6026236").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/27 14:24
S36	6	(("6742178") or ("6662359") or ("20030149960")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/27 15:55
S37	760	instrument\$5 provid\$3 probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/08/27 15:58
S38	34	S37 same trac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/08/27 15:58
S39	105	probe with tuple	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/27 16:20
S40	5	(("6728955") or ("6353924")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/29 07:23

## EAST Search History

S41	2429	TRAC\$3 NEAR2 (FRAMEWORK OR CONSUMER)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/29 07:24
S42	4	S41 WITH PROBE	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/29 07:28
S43	2	("7047521").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/29 07:28
S44	22	("5450586"   "5748878"   "5758061"   "5940618"   "5960198"   "6079032"   "6085029"   "6161200"   "6298477"   "6311327"   "6341357"   "6397379"   "6397382"   "6412107"   "6467052"   "6539539"   "6658651"   "6721941"   "6728955"   "6732357"   "6918110"   "6968547").PN. OR ("7143396").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/29 14:53
S45	3370	patch\$3 with feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/29 14:53
S46	985	(717/168).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/29 14:53
S47	30	S45 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/29 14:53


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

tracing an instrumented program

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

"an" is a very common word and was not included in your search. [\[details\]](#)

**Scholar** All articles - **Recent articles** Results 1 - 10 of about 15,400 for **tracing an instrumented program**

**All Results**[A Srivastava](#)[J Larus](#)[M Wijffels](#)[T Ball](#)[A Eustace](#)**Optimally profiling and tracing programs - all 10 versions »**

T Ball, JR Larus - ACM Transactions on Programming Languages and Systems ( ..., 1994 - portal.acm.org

... In **tracing**, the instrumentation code writes a unique token (witness) to a **trace** file. ... After the **instrumented program** executes, the second phase uses ...

Cited by 357 - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

**[BOOK] ATOM: a system for building customized program analysis tools - all 2 versions »**

A Srivastava, A Eustace - 1994 - ACM Press New York, NY, USA

... Finally, most address **tracing** tools provide **trace** data collection ... specifies: atomprog in.rt.c and.c -o Prog.atom to produce the **instrumented program** prog.atom. ...

Cited by 748 - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

**Tracking down software bugs using automatic anomaly detection - all 9 versions »**

S Hangal, MS Lam - Proceedings of the 24th International Conference on Software ..., 2002 - portal.acm.org

**Tracking Down Software Bugs** ... was the number of clock cycles taken to execute the entire **trace**. ... We **instrumented** each of the ten important classes in the **program** ...

Cited by 170 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Address tracing for parallel machines - all 9 versions »**

CB Stunkel, B Janssens, WK Fuchs - Computer, 1991 - doi.ieeecs.org

... Monitoring Based Simulation Altered Microcode **Instrumented Program** ... Speed Applicability **Trace** Completeness System **Tracing** Multiprogram **Tracing** ...

Cited by 36 - [Related Articles](#) - [Web Search](#)

**Whole program paths - all 15 versions »**

JR Larus - Proceedings of the ACM SIGPLAN 1999 conference on ..., 1999 - portal.acm.org

... Keywords dynamic **program** measurement, **program tracing**, path profiling ... phase transforms

the **trace** into a ... run concurrently with the **instrumented program**, so only ...

Cited by 140 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Rewriting Executable Files to Measure Program Behavior - all 7 versions »**

JR Larus, T Ball - Software - Practice and Experience, 1994 - research.microsoft.com

... results cannot be recomputed when the **trace** is regenerated ... code is similar to control-**tracing** code, but ... the annulled branch in the **instrumented** executable code ...

Cited by 150 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

**A user's guide to PICL a portable instrumented communication library - all 3 versions »**

GA Geist, MT Heath, BW Peyton, PH Worley - 1990 - osti.gov

... PICL is a portable **instrumented** communication library designed to provide portability, ...

If flush – 0, then **tracing** stops if the **trace** buffer fills up. ...

[Cited by 157](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Mining specifications - all 15 versions »](#)

G Ammons, R Bodík, JR Larus - Proceedings of the 29th ACM SIGPLAN-SIGACT symposium on ..., 2002 - portal.acm.org

... ADT, the mining system allows **tracing** other events ... 5 shows an illustration of the **trace** instrumentation, specifically the C code for an **instrumented** version of ...

[Cited by 138](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Optimal \*\*tracing\*\* and replay for debugging message-passing parallel programs - all 10 versions »](#)

RHB Netzer, BP Miller - The Journal of Supercomputing, 1995 - Springer

... On each machine, two **instrumented** versions of the message-passing ... the other version

uses our **tracing** algorithm to **trace** only racing ... OPTIMAL TRACING AND REPLAY ...

[Cited by 108](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

[Profile-based preprocessor for optimizing programs - all 2 versions »](#)

RR Heisch, PJ Kilpatrick - US Patent 5,613,118, 1997 - Google Patents

... 65 have been developed to optimize software performance and reduce ... Next, the **instrumented program** is compiled and executed to create a **trace** file. ...

[Cited by 38](#) - [Related Articles](#) - [Web Search](#)

Google

Result Page:    1   2   3   4   5   6   7   8   9   10    [Next](#)

tracing an instrumented program

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google